




UIN BEARING CORP.

FC182870 Rolling Mill Bearing



Bearing No. NCS2220

Size	34.925x47.625x31.75 mm
Bore Diameter	34,925 mm
Outer Diameter	47,625 mm
Width	31,75 mm
F_w	1 3/8 inch
F_w	34,925 mm
D	1,875 inch
D	47,625 mm
C	1,25 inch
C	31,75 mm
m	0,33 lbs / Weight
m	150 g / Weight
C_r	11000 lbf / Dynamic load rating (radial)
C_r	49000 N / Dynamic load rating (radial)
C_{Or}	18800 lbf / Static load rating (radial)
C_{Or}	84000 N / Static load rating (radial)
n_G	12600 1/min / Limiting speed
n_B	6500 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP

NCS2220 Bearing 2D drawings and 3D CAD models



UIN BEARING CORP.

Minimum Buy Quantity	N/A
Weight / Kilogram	0.15
EAN	4012802057966
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Inch
Relubricatable	Yes
Thrust Bearing	No
Long Description	1-3/8" Bore; 1-7/8" Outside Diameter; 1-1/4" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of
Other Features	2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NCS2220
Weight / LBS	0.33



UIN BEARING CORP.

Outside Diameter	1.875 Inch 47.625 Millimeter
Width	1.25 Inch 31.75 Millimeter
Bore	1.375 Inch 34.925 Millimeter